COLOUR DIGITAL MF SYSTEMS

d-Color

MF3303, MF4003

Performance, security and energy efficiency

olivetti

Digital evolution is transforming also the modern work environment; allowing a more efficient use of space and enhancing work methods. As well as providing greater efficiency and reliability, multifunctional printers are expected to provide rapid document digitising, mobile printing and GDPRcompliant data security and protection while maximising environmental sustainability.

The workplace is an environment where people spend many hours of the day, so the

office ergonomics and everything they use to carry out their day-today tasks must ensure maximum comfort - an essential factor for improving concentration and productivity.

Work tools, such as multifunctional printers, must meet other important criteria such as ease-of-use and silent operation while having a small footprint and, not least, protecting users' health.

Designed with these considerations in mind, the compact A4 multifunctional colour printers, the Olivetti d-Color MF3303 and d-Color MF4003, deliver prints and copies at 33 and 40 ppm, respectively, and allow modern offices to meet all the challenges of digital transformation.





SPEED 33 PAGES PER MINUTE (D-COLOR MF3303), 40 PAGES PER MINUTE (D-COLOR MF4003), MONO AND COLOUR 10.1" MULTI-TOUCH COLOUR USER INTERFACE, FULLY CUSTOMISABLE PRINT RESOLUTION UP TO 1200x1200 DPI AUTOMATIC FRONT/BACK SINGLE PASS SCANNER FAX PROVIDED AS STANDARD FOR D-COLOR MF4003 (OPTIONAL FOR D-COLOR MF3303) PAPER CAPACITY UP TO 1600 SHEETS MAX WITH TWO OPTIONAL DRAWERS

MOBILE PRINTING

5 GB STANDARD MEMORY WITH 256 GB SSD

BITDEFENDER ANTIVIRUS (OPTIONAL) FOR SCANNING INPUT AND OUTPUT DATA



EFFICIENT AND SECURE WITH BUILT-IN INTELLIGENT ENERGY MANAGEMENT

Stylish in design and incorporating the latest technologies, the d-Color MF3303 and d-Color MF4003 provide the user a handy **10.1" floating operator touchscreen**, which operates like a Smartphone, is highly intuitive to use and fully customisable.

Efficiency is improved by the immense **5 GB standard memory** that cuts response times, as well as the **256 GB SSD**; both offering shorter access times. Workflow is optimised as a result of significant improvements in **first copy** and **warm-up times**, while the **automatic single pass dual scanner** provides fast scanning capabilities from 90 ipm to 300 dpi on both models. **Data security** and intrusion risk protection are provided by a variety of security functions, on these models, such as hard disk **data encryption**, different types of authentication, automatic data deletion on job completion and the Bitdefender® antivirus scanning (optional) that offers protection from viruses spreading inside and outside the organisation. Through the utilisation of leading-edge technology, these new models have been designed to reduce environmental impact and achieve savings on running costs and energy usage. In particular they feature a **Dynamic Eco Timer** that automatically analyses usage during working hours and regulates energy saving times, accordingly. Eco Scanning allows documents to be scanned without needing to pre-warming the printer motor, while **Eco Printing** prevents the operation panel from unnecessarily activation during printing-only tasks, resulting in even more power savings. What is more, a clever Weekly **Timer** enables an energy savings programme to be set on both a day-to-day and date basis, to ensure consistent savings.

CONFIGURATION LAYOUT



OPTIONS ALPHABETIC LISTING

AU-102 (B5359)	Biometric authentication.	LK-108 (B4265)	Native OCR A and B fonts printing support
CU-202 (B3423)	Air cleaning unit	LK-110 v2 (B3167)	File format generator incl. DOCX; XLSX and PDF/A
DK-P04x (B3764)	Auxiliary mobile unit	LK-111(B4519)	ThinPrint® Client print data compression
EK-P08 (B3765)	USB keypad connector	LK-114 (B3168)	Secure print release solution
EK-P09 (B3766)	USB keypad connector; Bluetooth	LK-115 v2 (B3169)	Encrypted and decrypted data protection
FK-517 (B3425)	Super G3 Fax kit, (d-Color MF3303 only)	LK-116 (B3835)	Bitdefender™ Antivirus Scanning
FS-P04 (B3761)	Off-line corner stapler, 20-sheet	MK-P08 (B3769)	ID Card reader Installation Kit
ID CARD READER	Various technologies	MK-P09 (B3771)	CU-202 Installation Kit
KH-P02 (B3834)	USB keypad support shelf	PF-P20 (B3762)	500-sheet paper drawer (max 2) ; 60-90 g/m ² ;
KP-102 (B3754)	10-number keypad	PF-P22 (B3763)	Height adjustment unit (max 2)
LK-102 v3 (B4261)	PDF advanced PDF/A (1b), PDF encryption, digital signature	SX-BR-300 AN-WI	RELESS LAN (B3855) Wireless LAN network Card
LK-105 v4 (B3166)	OCR recognition in searchable PDF and PPTX, PDF/A (1a)	UK-221 (B3755)	Wireless LAN and wireless LAN Access Point mode
LK-106 (B4263)	Native Barcode printing support	UK-P19 (B3760)	Sheet multifeed detector
LK-107 (B4264)	Native Unicode printing support	WT-P03 (B3759)	Work table

TECHNICAL SPECIFICATIONS

GENERAL

Type: Printer/Scanner/Copier and Fax (for d-Color MF4003 as standard; optional for d-Color MF3303) Technology: Colour Laser

Operator panel: Touch-screen, colour, 10.1 inch **Speeds:** d-Color MF3303: up to 33 A4 pages per minute, colour and mono

d-Color MF4003: up to 40 A4 pages per minute, colour and mono

System memory: 5 GB (standard/max)

Hard disk: 256 GB SSD (standard) Interfaces: 10/100/1000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n (optional)

Network protocols: TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP; HTTPS

Automatic document feeder (standard): Up to 80 originals; A5–A4; 50–128 g/m²; Dualscan ADF Input paper capacity: Standard 600 sheets/ Max. 1,600 sheets

Output paper capacity: Max. 250 sheets Standard Paper Drawer: 500 sheets; 60 – 210 g/m²;

A6-A4, custom

Paper Drawer (optional): Max. 2 x 500-sheet drawers; 60-90 g/m²; A4, custom

By-pass, manual: 100 sheets; 60 – 210 g/m²; A6-A4; custom

Automatic duplexing: 60-210 g/m²; A4

Finishing (optional) off-line 20 sheets, 90 g/m² (SK-501 staples)

Duty cycle (pages/month): Recommended 6,500 pages; Max: 96,000 pages (d-Color MF3303), 120,000 pages (d-Color MF4003),

Warm-up time: Approx. 13 secs for mono; 15 secs for colour

First copy out time: d-Color MF 3303: 5.6 secs mono; 6.3 secs colour; d-Color MF 4003: 4.8 secs mono; 5.4 secs colour

Dimensions (WxDxH) base unit: 420x528x572 mm Base unit weight: 39 kg approx.;

Power consumption: 220 ~ 240 V, 50/60 Hz;
Maximum: 988 Watts d-Color MF3303;
1049 Watts d-Color MF4003;
Copying: 410 Watts d-Color MF3303;
490 Watts d-Color MF4003
In Standby: 55 Watts d-Color MF3303;

55 Watts d-Color MF4003

• At Rest: 0.11 Watt

TEC: 1.2 kWh/week d-Color MF3303;

1.6 kWh/week d-Color MF4003 Noise levels (Lwad)*: standby 42 dB(A); colour/mono printing: 64.5/64.7 dB(A) d-Color MF3303; 66.5/65.3 dB(A) d-Color MF4003 *according to ISO7779; RAL-UZ205

Security: ISO15408 Common Criteria (assessment in course); IP Filters and port locking; SSL2; SSL3 and TLS1.0 / 1.1 / 1.2; IEEE 802.1x support; User Authentication; Authentication Register; Secure printing ; Kerberos; Hard disk overwrite (8 modes); Hard disk data encryption (AES 256); Memory data automatic deletion; Confidential fax reception; User data encryption

Accounts: Up to 1,000 users; Active Directory support (user name + password + email + SMB folder); access function user definition

Authentication functions (optional): Biometric authentication; ID card authentication; Authentication via mobile devices

COPY FUNCTIONS

Copy speeds A4 mono/colour: d-Color MF3303: up to 33 pages per minute; d-Color MF4003: up to 40 pages per minute

Resolution: 600 x 600 dpi Originals format: A4 max Zoom: 25-400% in 0.1% steps; auto-zoom Multiple copies: 1–9,999 Levels of Grey: 256 shades

PRINT FUNCTIONS

CPU: Cortex A72 CPU Quad Core 1.6 GHz

Print speeds A4 mono/colour: d-Color MF3303: up to 33 pages per minute; d-Color MF4003: up to 40 pages per minute

Resolution: Default: 600 x 600 dpi; High definition: 1,200 x 1,200 dpi (low speed)

Emulations: PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS

Operating Systems: Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012/R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10; Unix; Linux; Citrix Printer fonts: 80 PCL Latin, 137 PostScript 3 Latin Emulation

Mobile printing: AirPrint® (iOS); Mobile Print App; NFC Authentication; Google Cloud Print ®(optional); Wi-Fi® Direct (optional)

SCAN FUNCTIONS

Scan modes: Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN

Scan speeds (mono/colour): up to 45/45 ipm in simplex; up to 90/90 ipm in duplex Resolution: 600 x 600 dpi

File formats: JPEG, TIFF, PDF, Compact PDF, XPS, PDF/A, Encrypted PDF, XPs, Compact XPS; PPTX Searchable PDF (optional); PDF/A 1a and 1b (optional); Searchable DOCX/PPTX/XLSX (optional) Scan destinations: 2,100 (single + groups); LDAP support

FAX FUNCTIONS (standard for d-Color MF4003; optional for d-Color MF3303) Compatibility: Super G3

Fax transmission: Analogue; i-Fax, colour i-Fax, IP-fax

Fax resolution: Up to 600 x 600 dpi Fax compression: MH; MR; MMR; JBIG Fax modem: Up to 33.6 Kbps Fax destinations: 2,100 (single + groups)

CONSUMABLES

Black toner (B1337) yield up to 13,000 pages (5% coverage)

Cyan toner (B1336) yield up to 9,000 pages (5% coverage)

Magenta Toner (B1338) yield up to 9,000 pages (5% coverage)

Yellow Toner (B1339) yield up to 9,000 pages (5% coverage)

Black Imaging Unit (B1341) yield up to 159K pages (MF3303); up to 168K pages (MF4003)

Cyan Imaging Unit (B1340) yield up to 55K pages **Magenta Imaging Unit** (B1342) yield up to 55K pages

Yellow Imaging Unit (B1343) yield up to 55K pages Transfer Roller (B1375) Life up to 159K for d-Color MF3303; 168K for d-Color MF4003

Transfer Belt Unit (B1374) Life up to 159K for d-Color MF3303; 168K for d-Color MF4003

Fuser Unit (B1373) Life up to 400K

Waste Toner Unit (B1356) Box capacity approx 36,000 for mono; 9,000 for colour SK-501 (B1113) staples, 5 cartridges x 1,000 staples

OPTIONS

PF-P20 (B3762) 500-sheet paper drawer (max 2); 60-90 g/m²

PF-P22 (B3763) Height adjustment unit (max 2) **DK-P04x** (B3764) Auxiliary mobile unit

FS-P04 (B3761) Off-line corner stapler, 20 sheets **WT-P03** (B3759) Work table

UK-P19 (B3760) Multi-feed detector to reduce errors and paper jams

FK-517 (B3425) Super G3 Fax kit, digital fax functionality (d-Color MF3303 only)

EK-P08 (B3765) USB keypad connector

EK-P09 (B3766) USB keypad connector; Bluetooth **UK-221** (B3755) Wireless LAN and wireless LAN Access Point mode

SX-BR-300 AN-WIRELESS LAN (B3855) Wireless LAN network card

AU-102 (B5359) Biometric authentication. Finger Vein Mapping Reader

ID CARD READER Various technologies MK-P08 (B3769) ID card reader Installation Kit KP-102 (B3754) 10-number keypad KH-P02 (B3834) USB keypad support shelf CU-202 (B3423) Air cleaning unit; improves quality of ambient air through emission reduction MK-P09 (B3771) CU-202 Installation Kit

i-option:

LK-102 v3 (B4261) Advanced PDF PDF/A (1b), PDF encryption, digital signature

LK-105 v4 (B3166) OCR text recognition in searchable PDF and PPTX, PDF/A (1a) LK-106 (B4263) Native support for Barcode printing

LK-100 (64265) Native support for barcode printing **LK-107** (B4264Native support for Unicode printing **LK-108** (B4265) OCR A and B native support for font printing

LK-110 v2 (B3167) File format generator for different formats incl. DOCX; XLSX and PDF/A

LK-111 (B4519) ThinPrint® Client print data compression for reducing network impact LK-114 (B3168) Secure print release solution for controlled release to various peripherals on network. No additional print server required

LK-115 v2 (B3169) Trusted Platform Module activation for protecting encrypted and decrypted data

LK-116 (B3835) BitDefender Antivirus

All specifications related to paper capacity refer to A4 sheets of weight 80 gsm.

OLIVETTI S.P.A. VIA MONTENAVALE 2C 10015 IVREA (TO) ITALIA www.olivetti.com Performance relates to use of the product under optimal conditions. Right reserved to modify technical specifications. Registered trademarks are the property of their respective owners. XXX is distributed by Olivetti S.p.A. (07/2019) - Code: 49792-00-w

